


GATEWAY IP3442



ONT



Guide to change the Wi-Fi network credentials

GATEWAY IP3442

Credentials


The *name (SSID)* and the *password* of a Wi-Fi network are known as credentials.

You can change the credentials that come with your Gateway. Follow the steps below to customize them.

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

Steps to change the Wi-Fi credentials

1. Connect to the **Gateway's** Wi-Fi network. Make sure that the **Gateway** is connected via a LAN cable to the **ONT** at all times.



2. Go to this web address: ***http://192.168.1.1/***. Enter the Gateway's original credentials.




They are printed on a label at the bottom of the device.




Steps to change the Wi-Fi credentials

3. Go to the *Wireless* tab and press the *Basic Setup* option.




4. In the space below *Wi-Fi Name (SSID)* enter the name you want to use for the network. Use that same information to set up your 2.4 GHz and 5 GHz network. This way the installation process will be more effective.




Steps to change the Wi-Fi credentials


5. To change the password, press the **Change Password** button.



6. Wait for this window to open, enter the password you want and press **Save**. Use that same password to set up your 2.4 GHz and 5 GHz network. This way the installation process will be more effective.



7. Confirm the changes by pressing **Apply**.



Remember, you will have to set up all your devices with the new name and password of your Wi-Fi network.